

FIG. 1





FIG. 2




96BT9D-E5999980

APPROVED	0.0.00.
BY	CLASS

08 666653

FIG. 3



968190-55999980

0.8.110.  
CLASS

FIG. 4




FIG. 5






FIG. 6



0.016  
CLASS  
SUBCLASS

08666653:061896

FIG.7




0.013.  
CLASS

968T90" E59999980


08 666653

FIG. 8A



968T90" E59999980

FIG. 8B






0.0.00  
0.0.00  
0.0.00

968F90" 659999980

08 666653


FIG. 9



0.6 FIG.  
CLASS

968F90"ES999980


FIG.10



968T90" E59999980


Part No.	0.6.103.
TY	CLASS
CLASS	CLASS

FIG.11




08 666653

FIG.12



[illegible]

FIG. 13



33

34-

31.

32

12

၁၁

2

33

34-

31.


32

12

၁၁


2

FIG.14



968T90" C59999980

FIG.15



08 666653

FIG. 16A




FIG. 16B




FIG. 16C






FIG.17A




FIG.17B




FIG.17C




FIG.18A




FIG.18B




FIG.19A




FIG.19B




FIG. 20A





FIG. 20B



0866653-061896

APPROVED BY C.O.F.P.S. 03/1/88

FIG.21A




FIG.21B




FIG.21C




FIG.22A




FIG.22B




FIG.22C




FIG. 23A




FIG. 23B





FIG. 23C






FIG. 24A




FIG. 24B




FIG. 24C



FIG.25A




FIG.25B




FIG.25C





FIG.26




SI ON MARK

968190-65999980

0019

FIG. 27




968790" 259999980

CLASS

CLASS

FIG. 28




968T90" E59999980

TAPE FEED DIRECTION →

HEAD MOVEMENT DIRECTION →

FIG.29A



CONTENT	525-Line/60-Field System	625-Line/50-Field System
a Minimum Recording Time	2.06° (3.0H)	2.09° (3.6H)
b Data Area	26.32° (38.4H)	26.29° (45.6H)
c Blank After Recording	2.06° (3.0H)	2.09° (3.6H)
d Video Overlap	2.62° (3.8H)	2.62° (4.5H)
e V-Synch. 1	6H	7H

FIG.29B

FIG.30A




FIG.30B





FIG.30C



968T90-65999980

SS125

FIG.31

F216	'95.8.29	~	'95.10.1		
FRAME No.	DATE		PRINT SIZE	QTY	
19	'95.10. 1.	16:00	H	1	
YUKI & FLOWER					
18	'95. 9.30.	17:20	H	1	
17	'95. 9.30.	6:00	P	1	
MT. FUJI					
16	'95. 9.16.	18:00	H	1	
15	'95. 9.16.	17:58	C	1	
GRANDPA					
▲ PLAYBACK ▼				SET	



0866653-051896

0866653-051896

FIG. 32A





FIG. 32B






968T90" ES999980

0.070  
0.070  
0.070

FIG. 33



08 666653